| Ref<br># | Hits | Search Query   | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|--|---------------------|---------|------------------|
|          |      | (unilogin with server and driver adj selection                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/10 16:13 |
| L3       | 542  | driver with removed same location                                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:53 |
| LA .     | 20   | driver adj removed same location                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:53 |
| L5       | 1    | driver adj removed same location and computer                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:53 |
| 1.6      | 6    | driver adj removed and predetermined adj location                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:55 |
| L7       | 0    | scanner adj driver with remov\$4 and predetermined adj location  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:55 |
| L8       | 2    | scanner adj driver with remov\$4                                 | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ON      | 2005/02/11 15:55 |
| S1       | 92   | photosensitive adj medium and main adj scan\$4 and perpendicular | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | OFF     | 2005/02/04 14:39 |
| S2       | 93   | photosensitive adj medium and main adj scan\$4 and perpendicular | USPAT;<br>USOCR;<br>EPO, IPO;<br>DERWENT:<br>; IBM_TDB | OR                  | ON      | 2005/02/04 16:22 |
| S3       | 1599 | exposure adj recording   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB  | OR                  | ОИ      | 2005/02/04 16:24 |
| S4:      | 6    | S2 and S3  | USPAT,<br>USOCR,<br>EPO, JPO;<br>DERWENT<br>, IBM_TDB  | OR                  | ON      | 2005/02/04 16:32 |

| S5  | 0   | server and scanner and computer and broweser and database and driver and document                                     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:33 |
|-----|-----|---|---|-----|----|------------------|
| S6  | 0   | server and scanner and computer and broweser and<br>driver and document   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:33 |
| S7  | 0   | server and scanner and broweser and driver and document   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:33 |
| S8  | 409 | server and scanner and browser and driver and document  | USPAT,<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>, IBM_TDB | OR  | ON | 2005/02/04 16:34 |
| S9  | 338 | server and scanner and browser and driver and document and computer and database                                      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:34 |
| S10 | 20  | server and scanner and browser and driver and document<br>and computer and database and predetermined adj<br>location | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:37 |
| S11 | 9   | server and scanner and browser with computer and driver and document and database and predetermined adj location      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:39 |
| S12 | 3   | server and scanner same document and browser with computer and driver and database and predetermined adj location     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:40 |
| S13 | 5   | server and scanner same document same database and browser with computer and driver                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:44 |
| S14 | 3.  | network adj server and scanner same document same database and browser with computer and driver                       | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>, IBM_TDB | OR  | ON | 2005/02/04 16:44 |
| S15 | 655 | network adj server and scanner same computer  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR  | ON | 2005/02/04 16:44 |
| S16 | 47  | network adj server and scanner same computer and  | USPAT;<br>USOCR;<br>EPO, IPO;<br>DERWENT<br>; IBM_TDB | OR. | ON | 2005/02/04 16:48 |

| S17 | 11   | network adj server and scanner same computer and browser and "358"/\$.ccls.                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/04 16:50 |
|-----|------|---|---|----|----|------------------|
| S18 | 0    | network adj server and scanner same computer and<br>browser and scanner adj driver and "358"/\$.ccls. | USPAT;<br>USOCR,<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/04 16:50 |
| S19 | 1    | network adj server and scanner same computer and<br>browser and scanner adj driver                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/04 16:52 |
| S20 | 24   | network adj server and scanner same computer and<br>browser and database with driver                  | USPAT;<br>USOCR,<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:46 |
| S21 | 5158 | 358/1.15  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:47 |
| S22 | 183  | 358/1.15 and network adj server   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:47 |
| S23 | 363  | 358/1.15 and network adj3 server  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:47 |
| S24 | 91   | -358/1.15 and network adj3 server and browser   | USPAT;<br>USOCR,<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:48 |
| S25 | 2    | 358/1.15 and network adj3 server and browser and scanner adj3 driver                                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM TDB | OR | ON | 2005/02/05 15:57 |
| S26 | 61   | USB same (type various multiple other) with scanner   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:59 |
| S27 | 7    | USB same (type various multiple other) adj scanner  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 15:57 |
| S28 | -54  | USB same (type various multiple other) with scanner not \$27.   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>;IBM_TDB  | OR | ON | 2005/02/05 16:00 |

| S29  | 26 | USB with port same (type various multiple other) with scanner not S27                              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:01 |
|------|----|--|---|----|----|------------------|
| S30  | 17 | USB with port same (type various multiple other) with scanner and network not S27                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:02 |
| S31  | 0  | USB with (one single) adj port same (type various multiple other) with scanner and network not S27 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:02 |
| S32  | 0  | USB with (one single) adj port same (type various multiple other) with scanner and network         | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:02 |
| S33  | 60 | USB with (one single) adj port   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:03 |
| S34  | 30 | USB with (one single) adj port and network   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:03 |
| S35  | 18 | server same scanner adj driver   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:05 |
| S36  | 0  | server same scanner adj driver same database   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:05 |
| S37  | 6  | server same database and scanner adj driver  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:09 |
| S38  | 36 | database and scanner adj driver  | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>, IBM_TDB | OR | ON | 2005/02/05 16:09 |
| S39  | 7  | database same scanner adj driver   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:12 |
| S40. | 30 | (database table) same scanner adj driver   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:13 |

| S41 | 1    | (database table) same scanner adj driver and network adj server  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:16 |
|-----|------|--|---|----|----|------------------|
| S42 | 13   | scanner adj driver and network adj server  | USPAT,<br>USOCR,<br>EPO: JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:16 |
| S43 | 13   | scanner adj drivers and network adj server   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:18 |
| S44 | 378  | select\$4 with driver same scanner   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:18 |
| S45 | 65   | select\$4 with driver same scanner and "358"/\$.ccls.  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:22 |
| S46 | 52   | select\$4 with driver-same scanner same user   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:23 |
| S47 | 10   | select\$4 with driver near scanner same user   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/05 16:23 |
| S48 | 5168 | 358/1.15   | USPAT,<br>USOCR,<br>EPO, JPO;<br>DERWENT<br>, IBM_TDB | OR | ON | 2005/02/10 12:05 |
| S49 | 28   | 358/1.15 and scanner adj driver  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/10 15:37 |
| S50 | (0)  | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and driver near remov\$4  | USPAT,<br>USOCR;<br>EPO; IPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/10 16:07 |
| S51 | 0    | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and driver near5 remov\$4 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/10 16:07 |
| S52 | 725  | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server                           | USPAT;<br>USOCR;<br>EPO, JPO,<br>DERWENT<br>; IBM_TDB | ÓR | ON | 2005/02/10 16:08 |

| S53 | 8   | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and "358"/\$.ccls.      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR . | ON | 2005/02/10 16:12 |
|-----|-----|--|---|------|----|------------------|
| S54 | 192 | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and driver              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR   | ON | 2005/02/10 16:09 |
| S55 | 4   | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and scanner with driver | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR   | ON | 2005/02/10 16:10 |
| S56 | 0   | (universal adj resource adj locator or URL or electronic adj mail or email e-mail) and login with server and scanner adj driver  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR   | ON | 2005/02/10 16:11 |
| S57 | 1   | login with server and driver adj selection   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR   | ON | 2005/02/10 16:14 |
| S58 | 1   | login with server and scanner with driver same select\$4   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR   | ON | 2005/02/10 16:14 |